

# Ezi Wall®

Firth Ezi Wall® is one of the lightest segmental wall systems available. Minimal foundation preparation is required, so walls are easily constructed using the unique interlocking system.

- Small size block: approx 5.6kgs
- Interlock system makes for easy installation
- Build curved, straight or terraced walls
- Easy to install
- Available in three colours



Rockface



Ash



Onyx





Vertical wall up to 0.5m<sup>^</sup>

57 units per  $m^2 / 7.14$  units per lineal metre



#### S M L

### **Sedona Stone**®

Keystone Sedona Stone® is ideal for creating low diy walls, decorative tree rings, planters, raised garden beds or finishing your lawn edge.

- Lightweight weighs approx 5kgs
- Build straight, curved or terraced walls
- Secure interlock system
- Easy to install




Rockface



Asł



Charcoal



Straight-face (comes only in Ash and Charcoal)



Tri-face (comes only in Rockface)



Batter setback up to 0.5m<sup>^</sup>



50 units per m<sup>2</sup> / 5 units per lineal metre







### Garden Wall®

Keystone Garden Wall® has the natural look of quarried stone allowing it to blend in with any landscape. Perfect for landscape retaining walls, tree rings, patio, lawn edging and garden or flower borders.



Rockface

- Medium size block: approx 13kgs
- Interlock system makes for easy installation
- Build curved, straight or terraced walls
- Easy to install




Tri-face



Batter setback up to 0.7m<sup>^</sup>



33.3 units per m<sup>2</sup> / 3.3 units per lineal metre







## **Country Manor**®

Keystone Country Manor® is random and rugged in appearance making these high strength concrete blocks conjure up images of old European estate walls adding character to any project.

- Perfect for stairs and retaining walls up to 0.9m and free standing walls to 0.6m with no consent required
- Create outdoor living designs such as fireplaces, fire pits and benches
- All units feature two face dimensions creating random patterns and offering a softer look
- Each unit has both a 90° end and a tapered end, allowing the units to be used in corners, straight lines and curves



Rockface





Onyx













# Compac III®

Keystone Compac® III features unrivaled aesthetic options and proven wall performance. Installers often prefer the Compac® III's lighter weight making it easy to handle.


- Lighter in weight making installation easier while maintaining structural integrity
- Allows building engineered walls in excess of 18.2m
- Unit doesn't require inverting, the shape allows for radius curves and vertical core alignment
- Kidney shaped holes allow for installer-friendly construction adjustments




Rockface



Onyx







Batter setback up to 1m<sup>^</sup>

11 units per m<sup>2</sup> / 2.19 units per lineal metre





#### **EFFLORESCENCE**

Naturally occurs in all concrete products. It is a deposit of white salts carried to the surface of the product by water, and happens most commonly when the product is exposed to moisture. Efflorescence will likely continue to occur until the moisture source is stopped, usually by sealing. Efflorescence can calcify with time and become difficult to remove. Efflorescence is not considered to be a material defect, but rather a naturally occurring issue common to all forms of concrete masonry. While Firth attempts to minimise the occurrence of efflorescence, we are unable to prevent or control this occurrence. Firth do not replace products that effloresce. Refer to the Masonry Product Care sheet on our website for more information.

Please note: All colour reproductions printed in this brochure are as close as possible to the original, however due to the printing process, some variations in colour and shading may occur. Keep in mind when you are choosing Firth retaining products, you are dealing with a natural material that can be influenced by a number of factors. While every care has been taken to obtain an accurate representation, the aggregates and oxides used to create these products are natural products and as a result some variations will occur. Variations between North and South Island manufactured products will occur due to locally sourced materials.

This guide has been produced to illustrate the options available. It does not provide detailed design and construction information. Further information can be found on firth.co.nz or call **0800 FIRTH 1.** 

Keystone® is a registered trademark in NZ of Keystone Retaining Wall Systems LLC and used under licence by Firth, a division of Fletcher Building Holdings Ltd.



0800 FIRTH 1 FIRTH.CO.NZ

