# Dricon OxiTone<sup>™</sup> Yellow



# 

# Identification of Substance & Company

#### Product

Product name Other names Product code HSNO approval Approval description UN number Proper Shipping Name Packaging group Hazchem code Uses Company Details	Dricon OxiTone <sup>™</sup> Yellow Synthetic Iron Oxide Yellow Pigmen NA non hazardous NA NA NA NA NA Colourant for cement based product	
Company Address Telephone Website	Dricon Firth Industries810 Great South RoadPPenrosePAuckland, 1060ANew ZealandN+64-9- 583 2121www.dricon.co.nz	

PO Box 14534 Panmure Auckland, 1741 New Zealand

# Emergency Telephone Number: 0800-764 766

2. Hazard Identification

# Approval

This product is not considered hazardous under the Hazardous Substances and New Organisms Act (HSNO), according to the criteria in the Hazardous substances (Hazard Classification) Notice 2020.

**GHS 7 Classes** 

**Hazard Statement** 

none SYMBOLS

None

# Other Classifications

There are no other classifications that are known to apply.

NOTE: Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat.

# **Precautionary Statements**

none

3. Composition / Information on Ingredients			
Component		CAS/ Identification	Conc (%)
iron oxide yellow		51274-00-1	60-100%

This is a commercial product whose exact ratio of components may vary. Trace quantities of impurities are also likely.

**First Aid** Λ

### **General Information**

If medical advice is needed, have product container or label at hand. You should call the National Poisons Centre if you feel that you may have been harmed by this product. The number is 0800 764 766 (0800 POISON) (24 hr emergency service). **Recommended first aid** Ready access to running water is recommended. facilities

-	-	-	-	-	
Pa	aae	1		of	6

Exposure	
Swallowed Eye contact	Do NOT induce vomiting. Give a glass of water to drink. Contact a doctor if concerned. If product gets in eyes, wash material from them with running water for several minutes. If symptoms persist, seek medical advice.
Skin contact	Flush immediately with large amounts of water. Remove all contaminated clothing. Contact a doctor if experiencing symptoms
Inhaled	Generally, inhalation of dust is unlikely to result in adverse health effects. If coughing, dizziness or shortness of breath is experienced, remove the patient to fresh air immediately. If patient is unconscious, place in the recovery position (on the side) for transport and contact a doctor.
Advice to Doctor	
Treat symptomatically. See Section crystalline silica dust.	on 11 for information on potential long term health effects from exposure to very fine
	5. Firefighting Measures
Fire and explosion hazards: Suitable extinguishing substances:	There are no specific risks for fire/explosion for this chemical. It is non-combustible. Not applicable.
Substances: Unsuitable extinguishing substances:	Unknown.
Products of combustion:	Product does not burn. Dust may form irritating atmosphere. Product may decompose in a fire and produce toxic or corrosive fumes.
Protective equipment:	Self-contained breathing apparatus. Safety boots, non-flammable overalls, gloves, hat and eye protection.
Hazchem code:	NA
	6. Accidental Release Measures
Containment Emergency procedures	There is no current legal requirement for containment of this product. Generally, the containers size will limit a large spill from occurring. If a significant spill occurs: Stop leak if safe or necessary. Isolate area. Collect spill, see below. Transfer to container for disposal. Dispose of according to guidelines below (Section 13).
Clean-up method	This product is not considered flammable or ecotoxic. Small spills do not require any special clean up method. Larger spills (e.g., greater than 10kg) should be mopped up
Disposal	and collected. Avoid the generation of dust. Sweep up carefully or vacuum. Collect recoverable material into labelled containers for recycling or salvage. Recycle containers wherever possible. This material may be suitable for approved landfill. Dispose of only in accord with all regulations.
Precautions	No special protective clothing is normally necessary.
	7. Storage & Handling
Storage	Avoid storage of harmful substances with food. Containers should be kept closed in order to minimise contamination. Avoid contact with incompatible substances as listed in Section 10.
Handling	Keep exposure to a minimum, and minimise the quantities kept in work areas. Avoid creation of dusts. See section 8 with regard to personal protective equipment requirements.
8 Exposure Controls / Pa	arsonal Protective Equipment

# 8. Exposure Controls / Personal Protective Equipment

# Workplace Exposure Standards

A workplace exposure standard (WES) has not been established by WorkSafe NZ for this product. There is a general limit of 3mg/m<sup>3</sup> for respirable particulates and 10mg/m<sup>3</sup> for inhalable particulates when limits have not otherwise been established.

NZ Workplace	Ingredient	WES-TWA	WES-STEL
Exposure Stds	iron oxide yellow	5mg/m³ (as Fe)	data unavailable

# **Engineering Controls**

In industrial situations, it is expected that employee exposure to hazardous substances will be controlled to a level as far below the WES as practicable by applying the hierarchy of control required by the Health and Safety at Work Act (2015) and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016. Exposure can be reduced by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods. If you believe air borne concentrations of mists, dusts or vapours are high, you are advised to modify processes or increase ventilation.

# **Personal Protective Equipment**

General	Personal Protective Equipment (PPE) should not be used as the primary means of exposure protection, except in the event of an accident or emergency situation or where all other means of protection have proven to inadequate. Clean PPE after use or dispose of as appropriate. Store PPE for re-use in a clean place. Regular training on the correct use of PPE should be provided. In particular the correct fitting and use of respirators and where applicable the cleaning of respirators should be undertaken.
Eyes	Protective eyewear is not normally necessary when using this product. However, it always prudent to use protective eyewear if dust is likely.
Skin	Protective gloves and clothing are not normally necessary. However, it is prudent to wear gloves when handling chemicals in bulk or for an extended period of time.
Respiratory	Respirator is not required under normal use. Ensure adequate natural ventilation. If product is being used in confined conditions and dust formation is likely, the use of a particulate mask or respirator is recommended.

# **WES Additional Information**

Not applicable

	9. Physical & Chemical Properties
Appearance	Yellow coloured fine powder/dust
Odour	no odour
Odour Threshold	no data
pH	no data
Freezing/melting point	>1000°C
Boiling Point	no data
Flashpoint	no data
Flammability	no data
Upper & lower flammable limits	no data
Vapour pressure	no data
Vapour density	no data
Specific gravity/density	no data
Solubility	insoluble in water
Partition coefficient	no data
Auto-ignition temperature	no data
Decomposition temperature	no data
Viscosity	no data
Particle Characteristics	no data

10. Stability & Reactivity			
Stability Conditions to be avoided	Stable Containers should be kept closed in order to avoid contamination. Keep from extreme heat, open flames and direct sunlight.		
Incompatible groups Substance Specific Incompatibility	Strong acids. None known		
Hazardous decomposition products Hazardous reactions	Some toxic or irritating fumes may be released during thermal decomposition (e.g. fire) At >180°C Yellow iron oxide my lose water of hydration to form Fe <sub>2</sub> O <sub>3</sub> .		



# Dricon OxiTone<sup>TM</sup> Yellow Safety Data Sheet

# 11. Toxicological Information

### Summary

IF SWALLOWED: Ingestion of this product may cause gastrointestinal irritation.

IF IN EYES: Eye contact may cause mechanical irritation. May result in mild abrasion.

IF ON SKIN: May cause abrasive irritation in contact with the skin, resulting in redness and itching. Prolonged or repeated skin contact may cause irritation.

IF INHALED: Exposure to Iron Oxide (Dust and Fume) can cause metal fume fever. This is a flu-like illness with symptoms of metallic taste, fever and chills, aches, chest tightness and cough. Inhalation may cause irritation to the respiratory tract. Symptoms may include coughing and shortness of breath.

### Supporting Data

Acute	Oral	Using LD <sub>50</sub> 's for ingredients, the calculated LD <sub>50</sub> (oral, rat) for the mixture is $>5,000$ mg/kg. Data considered includes: Iron (III) Oxide $>10000$ mg/kg (rat).
	Dermal	Using LD <sub>50</sub> 's for ingredients, the calculated LD <sub>50</sub> (dermal, rat) for the mixture is >5000 mg/kg. Data considered includes: Iron (III) Oxide LDLo 30mg/kg (dog)
	Inhaled	No evidence of acute inhalation toxicity.
	Eye	The mixture is not considered to be an eye irritant. Any irritation may be due to mechanical irritation of the particles.
	Skin	The mixture is not considered to be a skin irritant under HSNO.
Chronic	Sensitisation	No ingredient present at concentrations > 0.1% is considered a sensitizer.
	Mutagenicity	No ingredient present at concentrations > 0.1% is considered a mutagen.
	Carcinogenicity	Iron Oxides are not considered carcinogenic.
	Reproductive /	No ingredient present at concentrations > 0.1% is considered a reproductive or
	Developmental	developmental toxicant or have any effects on or via lactation.
	Systemic	No ingredient present at concentrations > 1% is considered a target organ toxicant.
	Aggravation of existing conditions	None known.

# 12. Ecological Data

#### Summary

This mixture is not considered ecotoxic.

# Supporting Data

Aquatic Bioaccumulation Degradability Soil Terrestrial vertebrate Terrestrial invertebrate Biocidal	No evidence of aquatic ecotoxicity. Estimated EC <sub>50</sub> of the mixture is >100mg/L, No data No data No evidence of soil ecotoxicity. No evidence of toxicity towards terrestrial vertebrates. No evidence of toxicity towards terrestrial invertebrates. no data		
13. Disposal Considerations			
Restrictions	There are no product-specific restrictions, however, local council and resource consent conditions may apply, including requirements of trade waste consents.		
Disposal method	Disposal of this product must comply with the Hazardous Substances (Disposal) Notice 2017 and the requirements of the Resource Management Act for which approval should be sought from the Regional Authority.		
Contaminated packaging	Disposal of contaminated packaging must comply with the Hazardous Substances (Disposal) Notice 2017 clause 12. Ensure that the package is rendered incapable of containing any hazardous substance and is disposed in a manner that is consistent with the requirements of the substance it contained and the material of the package. If possible reuse or recycle packaging.		

# 14. Transport Information

There are no specific restrictions for this product (not a dangerous good).				
UN number:	NA	Proper shipping name:	NA	
Class(es)	NA	Packing group:	NA	
Precautions:	NA	Hazchem code:	NA	
IMDG				
UN number:	NA	Proper shipping name:	Not regulated	
Class(es)	NA	Packing group:	NA	
Precautions:	NA	EmS	NA	
ΙΑΤΑ				
UN number:	NA	Proper shipping name:	Not regulated	
Class(es)	NA	Packing group:	NA	
Precautions:	NA	ERG Guide	NA	

# 15. Regulatory Information

This substance is not considered to be hazardous under GHS 7. All ingredients appear on the NZIoC.

#### **Specific Controls**

Key workplace requirements are:	
SDS	Not required.
Inventory	An inventory of all hazardous substances must be prepared and maintained.
Labelling	No removal of labels and/or decanting of product into other containers can occur.
Emergency plan	Not required.
Certified handler	Not required.
Tracking	Not required.
Bunding and secondary containment	Not required.
Signage	Not required.
Location compliance certificate	Not required.
Flammable zone	Not required.
Fire extinguisher	Not required.
	· · · · · · · · · · · · · · · · · · ·

Note: The above workplace requirements apply if only this particular substance is present. The complete set of controls for a location will depend on the classification and total quantities of other substances present in that location.

# **Other Legislation**

Abbreviations

In New Zealand, the use of this product may come under the Resource Management Act and Regulations, the Health and Safety at Work Act 2015 and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016, local Council Rules and Regional Council Plans.

# **16. Other Information**

ADDIEVIALIONS		
Approval Code CAS Number	NA Unique Chemical Abstracts Service Registry Number	
<b>EC</b> <sub>50</sub>	Ecotoxic Concentration 50% – concentration in water which is fatal to 50% of a test population (e.g. daphnia, fish species)	
EPA	Environmental Protection Authority (New Zealand)	
GHS	Globally Harmonised System of Classification and Labelling of Chemicals, 7 <sup>th</sup> revised edition, 2017, published by the United Nations.	
HAZCHEM Code	Emergency action code of numbers and letters that provide information to emergency services, especially fire fighters	
HSNO	Hazardous Substances and New Organisms (Act and Regulations)	
IARC	International Agency for Research on Cancer	
Page 5 of 6	FOR 24 HOUR POISON ADVICE CALL 0800 POISON (0800 764 766)	

July 2023

# 

# Dricon OxiTone<sup>TM</sup> Yellow Safety Data Sheet

LEL LD <sub>50</sub> LC <sub>50</sub> NZIOC STEL STOT RE STOT SE TWA UEL UN Number WES	Lower Explosive Limit Lethal Dose 50% – dose which is fatal to 50% of a test population (usually rats). Lethal Concentration 50% – concentration in air which is fatal to 50% of a test population (usually rats) New Zealand Inventory of Chemicals Short Term Exposure Limit - The maximum airborne concentration of a chemical or biological agent to which a worker may be exposed in any 15 minute period, provided the TWA is not exceeded System Target Organ Toxicity – Repeated Exposure System Target Organ Toxicity – Single Exposure Time Weighted Average – generally referred to WES averaged over typical work day (usually 8 hours) Upper Explosive Limit United Nations Number Workplace Exposure Standard - The airborne concentration of a biological or chemical agent to which a worker may be exposed during work hours (usually 8 hours, 5 days a week). The WES relates to exposure that has been measured by personal monitoring using procedures that gather air samples in the worker's breathing zone.
References	
Data Controls WES Other References:	Unless otherwise stated comes from the EPA HSNO chemical classification information database (CCID). EPA notices, www.epa.govt.nz, Health and Safety at Work (Hazardous Substances) Regulations 2017, www.legislation.govt.nz The latest NZ Workplace Exposure Standards, published by WorkSafe NZ and available on their web site – www.worksafe.govt.nz. EU ECHA, Ingredients SDS's, ChemIDplus
Review	
Date June 2018 July 2023	<b>Reason for Review</b> NA – new SDS update

## Disclaimer

This SDS was prepared by Datachem LTD and is based on our current state of knowledge, including information obtained from suppliers. The SDS is given in good faith and constitutes a guideline (not a guarantee of safety). The level of risk each substance poses is relevant to its properties (as summarised in the SDS) AND HOW THE SUBSTANCE IS USED. While guidelines are given for personal protective equipment, such precautions must be relevant to the use. The likely GHS 7 classifications, are based on our experience, EPA Guidelines and international classifications. A compliance record is available on request. This SDS is copyright Datachem and must not be copied, edited or used for other than intended purpose. To contact the SDS author, email info@datachem.co.nz or phone: +64 21 1040951.

